Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"017504".apn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:05
L2	. 2	("6300957").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR '	OFF	2006/10/17 12:11
L3	64452	((cluster\$3 or aggregat\$3 or group\$3) with (structur\$3 or hierarch\$3 or tree)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:47
L4	1083	(categor\$3 with (structur\$3 or hierarch\$3 or tree)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:14
L5	122	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:13
L6	136	((modif\$6 or updat\$3 or chang\$3 or edit\$4) near categor\$3 with (structur\$3 or tree or hierarch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:48
L7	1	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:14
L8	12571	(categor\$3 with (structur\$3 or hierarch\$3 or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:14

10/17/2006 3:15:45 PM

	Γ	T	I	1		
L9	1	6 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:14
L10	783	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:15
L11	18	10 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:15
L12	7	11 and @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:53
L13	73	10 and 4 and @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:18
L14	18	((cluster\$3 or aggregat\$3 or group\$3) with (structur\$3 or hierarch\$3 or tree)) and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:19
L15	2048	((cluster\$3 ) with (structur\$3 or hierarch\$3 or tree)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:44
L16	55	(organizat\$3 with (cluster\$3 or aggregat\$3 or group\$3) with (structur\$3 or hierarch\$3 or tree)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 15:05

L17	0	((modif\$6 or updat\$3 or chang\$3 or edit\$4) near categor\$3 with (structur\$3 or tree or hierarch\$3)) and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/17 12:48
L18	1	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3)) and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/17 15:06
L19	4	(organizat\$3 with (cluster\$3 or aggregat\$3 or group\$3) with (structur\$3 or hierarch\$3 or tree)). ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:52
L20	98	(organizat\$3 with (cluster\$3 or aggregat\$3 or group\$3) with (structur\$3 or hierarch\$3 or tree)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:51
L21	1	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3)) and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:48
L22	1220	(organizat\$3 with (cluster\$3 or aggregat\$3 or group\$3) with (structur\$3 or hierarch\$3 or tree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:52
L23	21	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3)) and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 12:53
L24	7	23 and @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/17 14:54

L25	118	((classification or cluster\$3) near document\$1) and 8 and @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:48
L26	4	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3)) and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 13:55
L27	3	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3)) and 25 and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:22
L28	2	("6446061").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:36
L29	2	("6671818").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:36
L30	21278049	((cluster\$3 or group\$3 or classificat\$3) with categor\$3 with (structur\$3 or tree or hierarch\$3))". " "ab." and (cluster\$3 with categor\$4) @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:49
L31	21277215	((cluster\$3 or group\$3 or classificat\$3) with categor\$3 with (structur\$3 or tree or hierarch\$3)). ab. and (cluster\$3 with categor\$4) @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:50
L32	21277213	((cluster\$3 or group\$3 or classificat\$3) with categor\$3 with (structur\$3 or tree or hierarch\$3)). ab. and (cluster\$3 near categor\$4) @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:50

L33	7902	32 and (categor\$3 with (similar\$3 or rank\$3 or scor\$3 or weight\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:53
L34	1587	32 and (categor\$3 near (similar\$3 or rank\$3 or scor\$3 or weight\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:52
L35	1865	33 and ((tree or structur\$3 or hierarch\$3) with (similar\$3 or rank\$3 or scor\$3 or weight\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:54
L36	371	34 and 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:54
L37	20	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3)) and 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:54
L38	20	37 and @ad<"20010904"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 14:54
L39	69	(organizat\$3 with (cluster\$3 or aggregat\$3 or group\$3 or classif\$6 ) with (structur\$3 or hierarch\$3 or tree)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 15:05
L40	3	((modif\$6 or updat\$3 or chang\$3 or edit\$4) with categor\$3 with (structur\$3 or tree or hierarch\$3 or classif\$6)) and 39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 15:09

L41	1	39 and (707/100).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/17 15:12
L42	1	39 and (707/3).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 15:12
L43	0	39 and (707/5).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 15:12

Sign in

Go to Google Home

Web Images Video News Maps more »

'organization structure" "clustering process" ca Search.

Advanced Search

Web Results 1 - 10 of about 23 for "organization structure" "clustering process" categories classification.

#### [PDF] How do we find information on the Web

File Format: PDF/Adobe Acrobat - View as HTML

In classification, categories are first determined and objects are assigned to them ...

effectiveness while speeding up the clustering process by working in ...

ils.unc.edu/yangk/dissertation/litrev\_io.pdf - Similar pages

### [PDF] Hedge Fund Classification using K-means Clustering Method

File Format: PDF/Adobe Acrobat

affects the clustering process adversely, the attributes should be ... All the eight funds of

the same category in six-cluster classification moved ...

depts.washington.edu/sce2003/Papers/284.pdf - Similar pages

### JSTOR: The Resurrection of Taxonomy to Aid the Development of ...

He raises the possibility that these categories, while they provide an obvious and handy basis for classification, may be essentially useless for ...

links.jstor.org/sici?sici=0001-8392(197903)24%3A1%3C99%3ATROTTA%3E2.0.CO%3B2-

N - Similar pages

## [PDF] Visual research topic discovery with MULTI-SOM model of analysis

File Format: PDF/Adobe Acrobat - View as HTML

SOM clustering process and then the area division principle. Since this model is based

on ... If we consider the classification code indexing the data, ...

www.eicstes.org/EICSTES\_PDF/PAPERS/Visual%20research%20topic%20discovery%

20with%20MULTI-SOM%20model%20of%... - Similar pages

### [PDF] Key words Cluster, clustering effects, network, internet, social ...

File Format: PDF/Adobe Acrobat - View as HTML

included in this classification as we know it is still too early for ... the clustering process.

As long as a company is located within a cluster, ...

in3.dem.ist.utl.pt/master/thesis/99files/thesis08.pdf - Similar pages

### [PDF] Towards Personalized Web Intelligence

File Format: PDF/Adobe Acrobat - View as HTML

ters, we can treat all clusters under a theme or category label as a category and. evaluate

the system like a categorization or classification system. ...

www.ntu.edu.sg/sce/labs/erlab/publications/papers/ahtan/WI\_KAIS.pdf - Similar pages

#### [DOC] CHAPTER FOUR

File Format: Microsoft Word - View as HTML

They classified a spectrum of user behavior with electronic journals into a typology of

categories of user. The classification and associated analysis was ...

drtc.isibang.ac.in/~aparajita/project/project%20appu/Project/CHAPTER%204.doc -

Similar pages

### [PDF] CONNECTIONS

File Format: PDF/Adobe Acrobat - View as HTML

This paper examines how a unique organization structure promotes a high level of ...

broader clusters, the clustering process is shown to remain at least as ...

www.insna.org/Connections-Web/Volume05/connections1982\_V-1.pdf - Similar pages

[PDF] CRANFIELD UNIVERSITY Perceptions of innovations: exploring and ...

File Format: PDF/Adobe Acrobat

by invoking one of three categories of classification (newness, ... output of the clustering process. In fact, the dendrogram is a graphical representation ...

dspace.lib.cranfield.ac.uk:8080/bitstream/1826/124/2/adams.pdf - Similar pages

[PDF] A Migratory Perspective of Technologys Role in Supply chain ...

File Format: PDF/Adobe Acrobat

Performance Measures: A breakdown into the categories of business and operational ...

Organization Structure: Empowerment or Subordination? ...

www.ifm.eng.cam.ac.uk/cim/imnet/symposium2003/papers/aryee.pdf - Supplemental Result

- Similar pages

Result Page:

1 2 3

<u>N</u>ext

Free! Speed up the web. Download the Google Web Accelerator.

"organization structure" "clustering p Search:

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: • The ACM Digital Library • The Guide

organization structure" "clustering process" categories classific



## THE ACH DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used organization structure clustering process categories classification

Found 95,532 of 186,958

Sort results by

Best 200 shown

Display

results

relevance

expanded form

Save results to a Binder ? Search Tips Open results in a new

Try an Advanced Search Try this search in **The ACM Guide** 

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

window

1 Knowledge management session 4: indexing: Bootstrapping for hierarchical



document classification

Giordano Adami, Paolo Avesani, Diego Sona

November 2003 Proceedings of the twelfth international conference on Information and knowledge management

Publisher: ACM Press

Full text available: 🔁 pdf(180.73 KB) Additional Information: full citation, abstract, references, index terms

Managing the hierarchical organization of data is starting to play a key role in the knowledge management community due to the great amount of human resources needed to create and maintain these organized repositories of information. Machine learning community has in part addressed this problem by developing hierarchical supervised classifiers that help maintainers to categorize new resources within given hierarchies. Although such learning models succeed in exploiting relational knowledge, they ...

Keywords: TaxSOM, constrained clustering, k-means, taxonomy bootstrapping process, text categorization

<sup>2</sup> Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren

November 1997 Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research

Publisher: IBM Press

Additional Information: full citation, abstract, references, index terms Full text available: pdf(4.21 MB)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

3 Data clustering: a review

A. K. Jain, M. N. Murty, P. J. Flynn

September 1999 ACM Computing Surveys (CSUR), Volume 31 Issue 3

Publisher: ACM Press




Full text available: 📆 pdf(636.24 KB) Additional Information: full citation, abstract, references, citings, index terms, review

Clustering is the unsupervised classification of patterns (observations, data items, or feature vectors) into groups (clusters). The clustering problem has been addressed in many contexts and by researchers in many disciplines; this reflects its broad appeal and usefulness as one of the steps in exploratory data analysis. However, clustering is a difficult problem combinatorially, and differences in assumptions and contexts in different communities has made the transfer of useful generic co ...

Keywords: cluster analysis, clustering applications, exploratory data analysis, incremental clustering, similarity indices, unsupervised learning

4 DB-1 (databases): data integration: Organizing structured web sources by query



Bin He, Tao Tao, Kevin Chen-Chuan Chang

November 2004 Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04

Publisher: ACM Press

Full text available: pdf(323.72 KB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>index terms</u>, <u>review</u>

In the recent years, the Web has been rapidly "deepened" with the prevalence of databases online. On this deep Web, many sources are <i>structured</i> by providing structured query interfaces and results. Organizing such structured sources into a domain hierarchy is one of the critical steps toward the integration of heterogeneous Web sources. We observe that, for structured Web sources, query schemas <i>ie</i>, attributes in query interfaces) are discriminative representative ...

Keywords: data integration, deep Web, hierarchical agglomerative clustering

THESUS: Organizing Web document collections based on link semantics Maria Halkidi, Benjamin Nguyen, Iraklis Varlamis, Michalis Vazirgiannis November 2003 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 12 Issue 4

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(262.85 KB) Additional Information: full citation, abstract, citings, index terms

The requirements for effective search and management of the WWW are stronger than ever. Currently Web documents are classified based on their content not taking into account the fact that these documents are connected to each other by links. We claim that a page's classification is enriched by the detection of its incoming links' semantics. This would enable effective browsing and enhance the validity of search results in the WWW context. Another aspect that is underaddressed and str ...

Keywords: Document clustering, Link analysis, Link management, Semantics, Similarity measure, World Wide Web

Taxonomy generation for text segments: A practical web-based approach

Shui-Lung Chuang, Lee-Feng Chien

October 2005 ACM Transactions on Information Systems (TOIS), Volume 23 Issue 4

Publisher: ACM Press

Full text available: pdf(875.31 KB) Additional Information: full citation, abstract, references, index terms

It is crucial in many information systems to organize short text segments, such as

keywords in documents and queries from users, into a well-formed taxonomy. In this article, we address the problem of taxonomy generation for diverse text segments with a general and practical approach that uses the Web as an additional knowledge source. Unlike long documents, short text segments typically do not contain enough information to extract reliable features. This work investigates the possibilities of u ...

Keywords: Taxonomy generation; hierarchical clustering, partitioning, search-result snippet, text data mining, text segment

7 A semi-supervised document clustering technique for information organization

Han-Joon Kim, Sang-Goo Lee

November 2000 Proceedings of the ninth international conference on Information and knowledge management

Publisher: ACM Press

Full text available: pdf(261.40 KB) Additional Information: full citation, references, citings, index terms

Keywords: agglomerative hierarchical clustering, document clustering, fuzzy information retrieval, information organization, relevance feedback

<sup>8</sup> Face recognition: A literature survey



W. Zhao, R. Chellappa, P. J. Phillips, A. Rosenfeld

December 2003 ACM Computing Surveys (CSUR), Volume 35 Issue 4

Publisher: ACM Press

Full text available: pdf(4.28 MB)

Additional Information: full citation, abstract, references, citings, index

As one of the most successful applications of image analysis and understanding, face recognition has recently received significant attention, especially during the past several years. At least two reasons account for this trend: the first is the wide range of commercial and law enforcement applications, and the second is the availability of feasible technologies after 30 years of research. Even though current machine recognition systems have reached a certain level of maturity, their success is ...

Keywords: Face recognition, person identification

9 Improving statistical language model performance with automatically generated word hierarchies



John G. McMahon, Francis J. Smith

June 1996 Computational Linguistics, Volume 22 Issue 2

Publisher: MIT Press

Full text available: pdf(2.02 MB) Additional Information: full citation, abstract, references, citings

An automatic word-classification system has been designed that uses word unigram and bigram frequency statistics to implement a binary top-down form of word clustering and employs an average class mutual information metric. Words are represented as structural tags---n-bit numbers the most significant bit-patterns of which incorporate class information. The classification system has revealed some of the lexical structure of English, as well as some phonemic and semantic structure. The syst ...

Automated techniques for managing collections: Machine learning for information





## architecture in a large governmental website

Miles Efron, Jonathan Elsas, Gary Marchionini, Junliang Zhang

June 2004 Proceedings of the 4th ACM/IEEE-CS joint conference on Digital libraries

Publisher: ACM Press

Full text available: pdf(1.49 MB) Additional Information: full citation, abstract, references, index terms

This paper describes ongoing research into the application of machine learning techniques for improving access to governmental information in complex digital libraries. Under the auspices of the GovStat Project, our goal is to identify a small number of semantically valid concepts that adequately spans the intellectual domain of a collection. The goal of this discovery is twofold. First we desire a practical aid for information architects. Second, automatically derived document-concept relations ...

Keywords: information architecture, interface design, machine learning

11 Research track: SEWeP: using site semantics and a taxonomy to enhance the Web





personalization process

M. Eirinaki, M. Vazirgiannis, I. Varlamis August 2003 Proceedings of the ninth ACM SIGKDD international conference on

Knowledge discovery and data mining Publisher: ACM Press


Full text available: pdf(429.65 KB)

Additional Information: full citation, abstract, references, citings, index

Web personalization is the process of customizing a Web site to the needs of each specific user or set of users, taking advantage of the knowledge acquired through the analysis of the user's navigational behavior. Integrating usage data with content, structure or user profile data enhances the results of the personalization process. In this paper, we present SEWeP, a system that makes use of both the usage logs and the semantics of a Web site's content in order to personalize it. Web content is ...

Keywords: Web mining, Web personalization, concept hierarchies, semantic annotation of Web content

12 Hierarchical file organization and its application to similar-string matching



September 1983 ACM Transactions on Database Systems (TODS), Volume 8 Issue 3

Publisher: ACM Press

Full text available: pdf(1.54 MB)

Additional Information: full citation, abstract, references, citings, index

The automatic correction of misspelled inputs is discussed from a viewpoint of similarstring matching. First a hierarchical file organization based on a linear ordering of records is presented for retrieving records highly similar to any input query. Then the spelling problem is attacked by constructing a hierarchical file for a set of strings in a dictionary of English words. The spelling correction steps proceed as follows: (1) find one of the bestmatch strings which are most similar to ...

Keywords: best match, file organization, good match, hierarchical clustering, linear ordering, office automation, similar-string, similarity, spelling correction, text editor

13 Web clustering and usage mining: Clustering documents in a web directory Giordano Adami, Paolo Avesani, Diego Sona November 2003 Proceedings of the 5th ACM international workshop on Web





### information and data management

Publisher: ACM Press

Full text available: pdf(180.53 KB) Additional Information: full citation, abstract, references, index terms

Hierarchical categorization of documents is a task receiving growing interest due to the widespread proliferation of topic hierarchies for text documents. The worst problem of hierarchical supervised classifiers is their high demand in terms of labeled examples, whose amount is related to the number of topics in the taxonomy. Hence, bootstrapping a huge hierarchy with a proper set of labeled examples is a critical issue. In this paper, we propose some solutions for the bootstrapping problem, imp ...

Keywords: TaxSOM, constrained clustering, digital libraries, k-means, knowledge management, taxonomy bootstrapping process, text categorization, web directories

14 Posters: Content-based image retrieval by clustering

Yixin Chen, James Z. Wang, Robert Krovetz

November 2003 Proceedings of the 5th ACM SIGMM international workshop on Multimedia information retrieval

Publisher: ACM Press

Full text available: pdf(658.35 KB)

Additional Information: full citation, abstract, references, citings, index

In a typical content-based image retrieval (CBIR) system, query results are a set of images sorted by feature similarities with respect to the query. However, images with high feature similarities to the query may be very different from the query in terms of semantics. This is known as the semantic gap. We introduce a novel image retrieval scheme, CLUster-based rEtrieval of images by unsupervised learning (CLUE), which tackles the semantic gap problem based on a hypothesis: semantically simil ...

Keywords: content-based image retrieval, image classification, spectral graph clustering, unsupervised learning

15 Generation and search of clustered files



G. Salton, A. Wong

December 1978 ACM Transactions on Database Systems (TODS), Volume 3 Issue 4

Publisher: ACM Press

Full text available: pdf(1.78 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, index

terms

A classified, or clustered file is one where related, or similar records are grouped into classes, or clusters of items in such a way that all items within a cluster are jointly retrievable. Clustered files are easily adapted to broad and narrow search strategies, and simple file updating methods are available. An inexpensive file clustering method applicable to large files is given together with appropriate file search methods. An abstract model is then introduced to predict the retrieval ...

Keywords: automatic classification, cluster searching, clustered files, fast classification, file organization, probabilistic models

16 A unified framework for model-based clustering

Shi Zhong, Joydeep Ghosh

December 2003 The Journal of Machine Learning Research, Volume 4

Publisher: MIT Press

Full text available: pdf(851.48 KB) Additional Information: full citation, abstract, index terms

Model-based clustering techniques have been widely used and have shown promising results in many applications involving complex data. This paper presents a unified framework for probabilistic model-based clustering based on a bipartite graph view of data and models that highlights the commonalities and differences among existing modelbased clustering algorithms. In this view, clusters are represented as probabilistic models in a model space that is conceptually separate from the data space. For ...

17 Named entities 2: Automatic feature thesaurus enrichment: extracting generic terms



from digital gazetteer Jun Wang, Ning Ge

June 2006 Proceedings of the 6th ACM/IEEE-CS joint conference on Digital libraries JCDL '06

Publisher: ACM Press

Full text available: pdf(517.02 KB) Additional Information: full citation, abstract, references, index terms

ADL Gazetteer is a digitalized worldwide gazetteer developed in the Alexandria Digital Library (ADL) Project, which contains millions of geographic names (placenames). The placenames are indexed with type terms from the ADL Feature Type Thesaurus (FTT), a hierarchical category scheme. The paper proposes a two-step method to enrich the category scheme automatically: to discover frequent generic terms by detecting phase boundaries with a mutual information-based method, and to correlate the generi ...

Keywords: automatic gazetteer updating, correlation analysis, digital gazetteer, generic term extraction

18 Research track posters: A framework for ontology-driven subspace clustering



Jinze Liu, Wei Wang, Jiong Yang

August 2004 Proceedings of the tenth ACM SIGKDD international conference on Knowledge discovery and data mining KDD '04


Publisher: ACM Press

Full text available: pdf(685.02 KB) Additional Information: full citation, abstract, references, index terms

Traditional clustering is a descriptive task that seeks to identify homogeneous groups of objects based on the values of their attributes. While domain knowledge is always the best way to justify clustering, few clustering algorithms have ever take domain knowledge into consideration. In this paper, the domain knowledge is represented by hierarchical ontology. We develop a framework by directly incorporating domain knowledge into clustering process, yielding a set of clusters with strong ontolog ...

**Keywords**: ontology, subspace clustering, tendency preserving

19 IR-2 (information retrieval): web information retrieval: A practical web-based



Shui-Lung Chuang, Lee-Feng Chien

November 2004 Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04

Publisher: ACM Press

Full text available: pdf(351.23 KB)

Additional Information: full citation, abstract, references, citings, index terms

It is crucial in many information systems to organize short text segments, such as keywords in documents and queries from users, into a well-formed topic hierarchy. In this paper, we address the problem of generating topic hierarchies for diverse text segments with a general and practical approach that uses the Web as an additional knowledge source. Unlike long documents, short text segments typically do not contain enough

information to extract reliable features. This work investigates the p ...

**Keywords**: clustering, partitioning, search-result snippet, text segment, topic hierarchy generation, web data mining

20 Image and cultural digital libraries: Time as essence for photo browsing through



personal digital libraries

Adrian Graham, Hector Garcia-Molina, Andreas Paepcke, Terry Winograd
July 2002 Proceedings of the 2nd ACM/IEEE-CS joint conference on Digital libraries
Publisher: ACM Press

Full text available: pdf(3.39 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

We developed two photo browsers for collections with thousands of time-stamped digital images. Modern digital cameras record photo shoot times, and semantically related photos tend to occur in bursts. Our browsers exploit the timing information to structure the collections and to automatically generate meaningful summaries. The browsers differ in how users navigate and view the structured collections. We conducted user studies to compare the two browsers and an un-summarized image browser. Our r ...

**Keywords**: ACDSee, burst identification, image browser, personal digital library, photo browser, summarization, time-based clustering, time-based navigation

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat Q QuickTime Windows Media Player Real Player



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

**©**□Search Results

**BROWSE** 

**SEARCH** 

**IEEE XPLORE GUIDE** 

Results for "((organization structure' 'clustering process' categories classification)<in>metadata)" Your search matched 0 documents.

⊠ e-πgil

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

**Modify Search** 

New Search

((organization structure' 'clustering process' categories classification)<in>metadata)

Search.

» Key

Display Format:

No results were found.

Check to search only within this results set

Citation C Citation & Abstract

**IEEE JNL** 

IEEE Journal or

Magazine

**IEE JNL** 

IEE Journal or Magazine

**IEEE CNF** 

**IEE CNF** 

**IEEE Conference** 

Proceeding

IEE Conference

Proceeding

Please edit your search criteria and try again. Refer to the Help pages if you need assistan

IEEE STD IEEE Standard

Contact Us Privacy &:

indexed by inspec" © Copyright 2006 IEEE -